TOPDECK

Pre-Finished Solid Timber Floors



Enjoy the pinnacle of solid timber floors quality and design



Topdeck Flooring

As a leading timber floor wholesaler and supplier in Australia, we declare that all products imported by Topdeck Flooring are legally sourced and logged from sustainable managed forests. All of our partners and factories are held with FSC or PEFC Chain of Custody Certifications and our product is purchased within scope of certifications.

Things you need to consider before selecting a timber product:

- 1. TIMBER GRADE
- 2. COATING FINISH

TIMBER GRADE

Select Grade

This is the highest grade of timber, which only contains features of a minimum number and size. Although the features may still observable, such as gum veins, past borer activity and small knots, but they do not dominate the overall appearance.

Standard and Better Grade

A Standard Grade floor may have significantly more character than a Select Grade floor, which is the most typical and moderate features of Australian grade flooring. Our Standard and Better Grade floor only contains features such as gum veins, past borer activity and small knots in a limited number and size. This limited level of natural features best suit for a modern style.

it should, however, be noted that the features present and resulting character is very much dependent on the species chosen.

In Topdeck Solid Timber Range, we only supply the above two grades of floors boards.

COATING FINISH




American Coating Master - 12 Layers of PPG Water Based Polyurethane Finish.

Designed to enhance the naturalness of wood material with supreme abrasion resistance, indentation hardness & scratch resistance, prevent hard wood flooring products from everyday signs of wear and prolong their service life.

PPG Coating-Adding value to your floor.





Kempas Natural

Timber Grade: Select Grade


Janka Rating: 9

Origin: Southeast Asia

Colour: Orangish-brown with occasional yellowish streaks

Dimensions: Various lengths 1500mm - 2200mm,





Pacific Spotted Gum

Timber Grade: Standard and Better Grade

Janka Rating: 11


Origin: China & Laos

Colour: Varies from soft creams to pale grey browns with

occasional yellowish green undertones

Dimensions: Various lengths 1500mm - 2200mm,





Pacific Blackbutt

Timber Grade: Standard and Better Grade

Janka Rating: 11.8


Origin: China & Laos

Colour: From cream to pale brown, sometimes with a

slight tinge of pink or yellow

Dimensions: Various lengths 1500mm - 2200mm,





Keranji - King Teak

Timber Grade: Select Grade


Janka Rating: 11

Origin: Southeast Asia

Colour: Golden to medium brown, darkening with age

Dimensions: Various lengths 1500mm - 2200mm,





AND NO WORLD OF MARKET DE BY

Timber Grade: Select Grade


Janka Rating: 9

Origin: Southeast Asia

Colour: Varies from pale to rich tones of fireback red

Dimensions: Various lengths 1500mm - 2200mm,





Tasmanian Oak

Timber Grade: Standard and Better Grade

Janka Rating: 5.8


Origin: Australia

Colour: Varying from straw to reddish brown with

intermediate shades of cream to pink

Dimensions: Various lengths 1500mm - 2200mm,





Timber Grade: Standard and Better Grade

Janka Rating: 11

Origin: Australia

Colour: Varies through pale grey browns and

soft creams to a rich brown

Dimensions: Various lengths 1500mm - 2200mm,





Australian Blackbutt

Timber Grade: Standard and Better Grade

Janka Rating:

9.1

Origin:

Australia

Colour:

From cream to pale brown, sometimes with

a slight tinge of pink or yellow

Dimensions:

Various lengths 1500mm - 2200mm,





Sydney Blue Gum

Timber Grade: Standard and Better Grade

Janka Rating: 9.1


Origin: Australia

Colour: From dark pink to a reddish brown and darkens

with age and exposure to sun light

Dimensions: Various lengths 1500mm - 2200mm,





River Red Gum

Timber Grade: Standard and Better Grade

Janka Rating: 10.7


Origin: Australia

Colour: Varies from red to reddish brown in colour with the

timber's texture having some coarseness. The grain is commonly interlocked with frequent gum veins

Dimensions: Various lengths 1500mm - 2200mm,





Red Iron Bark

Timber Grade: Standard and Better Grade

Janka Rating: 13

Origin: Australia

Colour: From a deep dark red to red-brown. By contrast, the

sapwood is a distinctive pale yellow in colour

Dimensions: Various lengths 1500mm - 2200mm,





Grey Iron Bark

Timber Grade: Standard and Better Grade


Janka Rating: 14

Origin: Australia

Colour: Pale light grey to medium brown

Dimensions: Various lengths 1500mm - 2200mm,





Brush Box

Timber Grade: Standard and Better Grade

Janka Rating: 9.1

Origin: Australia

Colour: From a greyish pink through to a reddish brown,

while the sapwood is usually paler in colour

Dimensions: Various lengths 1500mm - 2200mm,





Jarrah

Timber Grade: Standard and Better Grade

Janka Rating: 8.5

Origin: Australia

Colour: Varies from dark pinkish red to rich brownish reds,

gradually darkens to soft burgundy over time

Dimensions: Various lengths 1500mm - 2200mm,





Cumaru - Brazilian Teak

Timber Grade: Select Grade

Janka Rating: 15.7

Origin: South America

Colour: Medium to dark brown, with a reddish or purplish hue,

some pieces may have streaks of yellowish brown

Dimensions: Various lengths 1500mm - 2200mm,





Jatoba - Brazilian Cherry

Timber Grade: Select Grade

Janka Rating:

Origin: South America

Colour: Light orangish brown to a darker reddish brown,

sometimes with contrasting darker greyish brown

streaks. Colour tends to darken upon exposure to light

Various lengths 1500mm - 2200mm, **Dimensions:**



SOLID TIMBER FLOORS

TECHNICAL SPECIFICATIONS

TYPE

Pre-finished Solid Timber

INSTALLATION METHOD

Tongue & Groove (T&G) Secret Nail / Glue Down

DIMENSIONS

Various lengths 1500mm - 2200mm, widths 85mm - 130mm, & 18mm thickness

TIMBER COLLECTION

Kempas Red Stain, Kempas Natural, Pacific Spotted Gum, Pacific Blackbutt, Keranji - King Teak, Tasmanian Oak, Australian Spotted Gum, Australian Blackbutt, Sydney Blue Gum, River Red Gum, Red Iron Bark, Grey Iron Bark, Brush Box, Jarrah, Cumaru - Brazilian Teak, Jatoba -Brazilian Cherry

SLIP RATING

DI Pass (AS4586-2013 Appendix B)

COATING FINISH

12 Layers of PPG Water Based Polyurethane Finish

COATING WARRANTY

5 Years Domestic; 3 Years Commercial

ENVIRONMENTAL & QUALITY CERTIFICATES

VOC E0 (Volatile Organic Compound) ISO 9001 (Quality Assured Firm) ISO 14001 (Environmental Assured Firm)

STRUCTURAL WARRANTY

25 Years Domestic; 10 Years Commercial

SPECIES	JANKA RATING	HARDNESS
Tasmanian Oak	5.8	Moderately Hard
Jarrah	8.5	Hard
Kempas Red Stain	9	Hard
Kempas Natural	9	Hard
Australian Blackbutt	9.1	Hard
Sydney Blue Gum	9.1	Hard
Brush Box	9.1	Hard
River Red Gum	10.7	Very Hard
Keranji - King Teak	11	Very Hard
Pacific Spotted Gum	11	Very Hard
Australian Spotted Gum	11	Very Hard
Pacific Blackbutt	11.8	Very Hard
Jatoba - Brazilian Cherry	12	Very Hard
Red Iron Bark	13	Extremely Hard
Grey Iron Bark	14	Extremely Hard
Cumaru - Brazilian Teak	15.7	Extremely Hard

Janka Rating	Hardness Category	
<5.5	Soft	
	1410.00	

JANKA RATING CHATS

5.5 to 7 Moderately Hard 7 to 10 Hard >10 Very Hard Please Note: Hardness is just one criteria and many of the other criteria are often more important. Moderately hard and above are well suited to domestic floors. Soft is also fine if greater propensity to indentation is not a concern.

Combining quality & environmental control standards throughout the manufacturing process.











